









ILLUMINATE THE FUTURE SAFELY

Glass Surface Systems, Inc.

Indoor/Outdoor DLC/UL Listed LED Corn Lamps

Call 877.644.8500 for the **BEST** customer service today!



Photo	Styles	Technical Parameters	Remarks
 	<p>GSS50327 3000K MED BASE</p> <p>GSS50326 4000K MED BASE</p> <p>GSS50324 5000K MED BASE</p> <p>GSS50325 6000K MED BASE</p>	<p>Power: 20W</p> <p>LED type: SMD2835</p> <p>Lumen: 2450LM</p> <p>Input voltage: AC100-AC277V</p> <p>Frequency: 50/60Hz</p> <p>Beam Angle: 360°</p> <p>CRI≥80</p> <p>Life span: 50000H</p> <p>Warranty: 3 years</p>	<p>Diameter = 2.6"</p> <p>Length = 7.4"</p> <p>UL and DLC Listed</p> <p>For Indoor and Outdoor use in Open or Enclosed Fixtures</p>
 	<p>GSS50323 3000K MED BASE</p> <p>GSS50322 4000K MED BASE</p> <p>GSS50320 5000K MED BASE</p> <p>GSS50321 6000K MED BASE</p>	<p>Power: 25W</p> <p>LED type: SMD2835</p> <p>Lumen: 3000LM</p> <p>Input voltage: AC100-AC277V</p> <p>Frequency: 50/60Hz</p> <p>Beam Angle: 360°</p> <p>CRI≥80</p> <p>Life span: 50000H</p> <p>Warranty: 3 years</p>	<p>Diameter = 2.6"</p> <p>Length = 8.1"</p> <p>UL and DLC Listed</p> <p>For Indoor and Outdoor use in Open or Enclosed Fixtures</p>
 	<p>GSS50319 3000K MED BASE</p> <p>GSS50318 4000K MED BASE</p> <p>GSS50316 5000K MED BASE</p> <p>GSS50317 6000K MED BASE</p>	<p>Power: 30W</p> <p>LED type: SMD5730</p> <p>Lumen: 3600LM</p> <p>Input voltage: AC100-AC277V</p> <p>Frequency: 50/60Hz</p> <p>Beam Angle: 360°</p> <p>CRI≥80</p> <p>Life span: 50000H</p> <p>Warranty: 3 years</p>	<p>Diameter = 4.1"</p> <p>Length = 9.4"</p> <p>UL and DLC Listed</p> <p>For Indoor and Outdoor use in Open or Enclosed Fixtures</p>




ILLUMINATE THE FUTURE SAFELY

Glass Surface Systems, Inc.

Manufacturers of the Finest Shatterproof Lighting Available since 1970

Customer Service: 1-877-644-8500

Largest Inventory Of Domestic Brand Shatterproof Bulbs In Stock





ILLUMINATE THE FUTURE SAFELY

Glass Surface Systems, Inc.

Indoor/Outdoor DLC/UL Listed LED Corn Lamps

Call 877.644.8500 for the **BEST** customer service today!



Photo	Styles	Technical Parameters	Remarks
 	GSS50315 3000K MED BASE GSS50311 3000K MOG BASE GSS50314 4000K MED BASE GSS50310 4000K MOG BASE GSS50312 5000K MED BASE GSS50308 5000K MOG BASE GSS50313 6000K MED BASE GSS50309 6000K MOG BASE	Power: 40W LED type: SMD5730 Lumen: 4650LM Input voltage: AC100-AC277V Frequency: 50/60Hz Beam Angle: 360° CRI≥80 Life span: 50000H Warranty: 3 years	Diameter = 4.1" Length = 10.2" UL and DLC Listed For Indoor and Outdoor use in Open or Enclosed Fixtures
 	GSS50307 3000K MED BASE GSS50303 3000K MOG BASE GSS50306 4000K MED BASE GSS50302 4000K MOG BASE GSS50304 5000K MED BASE GSS50300 5000K MOG BASE GSS50305 6000K MED BASE GSS50301 6000K MOG BASE	Power: 60W LED type: SMD5730 Lumen: 7000LM Input voltage: AC100-AC277V Frequency: 50/60Hz Beam Angle: 360° CRI≥80 Life span: 50000H Warranty: 3 years	Diameter = 4.1" Length = 12.6" UL and DLC Listed For Indoor and Outdoor use in Open or Enclosed Fixtures
 	GSS50299 3000K MOG BASE GSS50298 4000K MOG BASE GSS50296 5000K MOG BASE GSS50297 6000K MOG BASE	Power: 80W LED type: SMD5730 Lumen: 9300LM Input voltage: AC100-AC277V Frequency: 50/60Hz Beam Angle: 360° CRI≥80 Life span: 50000H Warranty: 3 years	Diameter = 5.5" Length = 11" UL and DLC Listed For Indoor and Outdoor use in Open or Enclosed Fixtures



ILLUMINATE THE FUTURE SAFELY

Glass Surface Systems, Inc.

Manufacturers of the Finest Shatterproof Lighting Available since 1970

Customer Service: 1-877-644-8500

Largest Inventory Of Domestic Brand Shatterproof Bulbs In Stock







ILLUMINATE THE FUTURE SAFELY

Glass Surface Systems, Inc.

Indoor/Outdoor DLC/UL Listed LED Corn Lamps

Call 877.644.8500 for the **BEST** customer service today!

Photo	Styles	Technical Parameters	Remarks
 	<p>GSS50295 3000K MOG BASE</p> <p>GSS50294 4000K MOG BASE</p> <p>GSS50292 5000K MOG BASE</p> <p>GSS50293 6000K MOG BASE</p>	<p>Power: 100W</p> <p>LED type: SMD5730</p> <p>Lumen: 11500LM</p> <p>Input voltage: AC100-AC277V</p> <p>Frequency: 50/60Hz</p> <p>Beam Angle: 360°</p> <p>CRI≥80</p> <p>Life span: 50000H</p> <p>Warranty: 3 years</p>	<p>Diameter = 5.5"</p> <p>Length = 11"</p> <p>UL and DLC Listed</p> <p>For Indoor and Outdoor use in Open or Enclosed Fixtures</p>
 	<p>GSS50291 3000K MOG BASE</p> <p>GSS50290 4000K MOG BASE</p> <p>GSS50288 5000K MOG BASE</p> <p>GSS50289 6000K MOG BASE</p>	<p>Power: 120W</p> <p>LED type: SMD5730</p> <p>Lumen: 15000LM</p> <p>Input voltage: AC100-AC277V</p> <p>Frequency: 50/60Hz</p> <p>Beam Angle: 360°</p> <p>CRI≥80</p> <p>Life span: 50000H</p> <p>Warranty: 3 years</p>	<p>Diameter = 5.5"</p> <p>Length = 11"</p> <p>UL and DLC Listed</p> <p>For Indoor and Outdoor use in Open or Enclosed Fixtures</p>
 	<p>GSS50287 3000K MOG BASE</p> <p>GSS50286 4000K MOG BASE</p> <p>GSS50284 5000K MOG BASE</p> <p>GSS50285 6000K MOG BASE</p>	<p>Power: 150W</p> <p>LED type: SMD5730</p> <p>Lumen: 18300LM</p> <p>Input voltage: AC100-AC277V</p> <p>Frequency: 50/60Hz</p> <p>Beam Angle: 360°</p> <p>CRI≥80</p> <p>Life span: 50000H</p> <p>Warranty: 3 years</p>	<p>Diameter = 5.5"</p> <p>Length = 11"</p> <p>UL and DLC Listed</p> <p>For Indoor and Outdoor use in Open or Enclosed Fixtures</p>



Operating temperature:
5 to 113°F

Body temperature:
140°F



ILLUMINATE THE FUTURE SAFELY

Glass Surface Systems, Inc.

Manufacturers of the Finest Shatterproof Lighting Available since 1970

Customer Service: 1-877-644-8500

Largest Inventory Of Domestic Brand Shatterproof Bulbs In Stock